

# BenchBlotter™

Benchmark Platform Rocker



- Optimized for blot washing and gel staining/destaining
- Gentle mixing (12 rpm and +/- 8° tilt)
- Compact, low profile design
- Dual platform option expands workspace
- Safe for incubator/cold room use



The **BenchBlotter** is the first rocker to be specifically optimized with the ideal rocking speed and tilt angle for blot washing, gel staining/destaining and hybridization applications. Available with an optional dual platform accessory, the **BenchBlotter** offers a sizeable work space, while maintaining a compact footprint and low profile design.

Lightweight and easy to carry, it can be easily transported from the lab bench to a cold room or incubator.

The large load capacity (7 lbs.), optional dimpled mat for centrifuge tubes and multiple platform tie-down points, make this rocker suitable for a wide variety of general purpose applications.

## Technical Data

Speed:	Fixed at 12 rpm Fixed at 10 rpm (230V)
Tilt Angle:	+/- 8°
Platform Size:	30x30 cm / 12x12 in.
Work Surface:	Non-Skid Rubber Mat
Load Capacity:	3.2 kg / 7 lbs.
Operating Temp. Range:	+4° C to +65° C
Dimensions:	34 x 30 x 12 cm 13.5 x 11.8 x 4.7 in.
Weight:	3 kg / 6.5 lb
Warranty:	2 Years
Electrical:	115V AC, 60 Hz, 0.4A 230V AC, 50 Hz, 0.2A

## Ordering Information

<b>BR1000*</b>	<b>BenchBlotter Platform Rocker</b>
<b>BR1000-FLAT</b>	Non-Skid rubber mat (included)
<b>BR1000-DIMPLED</b>	Optional dimpled mat
<b>BR1000-STACK</b>	Optional stacking platform, with flat mat

\*To order a product in 230V, please add -230 to item number.

# STERLITECH

www.sterlitech.com \* sales@sterlitech.com